
# ATTACHMENT B

# DETERMINATION OF URBAN LANDSCAPE WATER SAVINGS FROM CONSERVATION



#### Sacramento

Exist. acres = 100,0002020 acres = 145,000ETo (af/ac) = 4.2

			Analysis of 2020 Conditions compared to 1995								
Distribution of acres (%)			No Action			CALFED					
ETo Factor	1995	Base	Exist.	New	Comb.	Exist.	New	Comb.			
1.2	100	100	50	30	44	40	10	31			
1.0			25	30	27	30	10	24			
0.8			25	40	30	30	75	44			
0.6					0	ı	5	2			
0.4					0		•	0			

		Analysis of 2020 Conditions compared to 1995								
Resultant area (acres)				No Action			CALFED			
ETo Factor	1995	Base	Exist.	New	Comb.	Exist.	New	Comb.		
1.2	100,000	145,000	50,000	13,500	63,500	40,000	4,500	44,500		
1.0	0	0	25,000	13,500	38,500	30,000	4,500	34,500		
0.8	0	0	25,000	18,000	43,000	30,000	33,750	63,750		
0.6	0	0	0	0	0	0	2,250	2,250		
0.4	0	0	0.	0	0	0	0	0		
sum =	100.000	145,000	100,000	45.00	0 145,000	100,000	45.000	145,000		

Applied Water (acre-feet)

1995	Base	No Action	CALFED
504,000	730,800	il aa kaaligiaa ka ka Tiil ah wadan dhaan ka	224,280
0	0	161,700	144,900
0	0	144,480	214,200
0	0	0	5,670
and the second of		0	0
504,000	730,800	626,220	589,050
		104 580	37,170
		104,580	37,170
Reduction f	rom Base =	14%	5%
	·		
		0	1,890
ngs from ET	Reduction=	0%	5%
		104,580	35,280
	504,000 0 0 0 504,000	504,000 730,800 0 0 0 0 0 0	504,000 730,800 320,040 0 0 161,700 0 0 144,480 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

Total % Reduction (Base to CALFED) 19%

Total Amount from ET Reduction 1%

Ratio of Depletion Reduction to Applied Water Savings (from Bull. 160-93 p.155)

0.05 (modified to reflect outdoor water use realities)

Real Water Savings = Reduced ET + (ratio \* reduced losses)

5,229 Base to No Action = No Action to CALFED = 3,654 Total =

Remaining Applied Water Reduction = total reduction - real water savings

Base to No Action = 99,351

33,516 No Action to CALFED = Total = 132,867

## Eastside San Joaquin

Exist. acres = 65,0002020 acres = 120,000

ETo (af/ac) = 4.3

			Analysis of 2020 Conditions compared to 1995								
Distribution of acres (%)			No Action			CALFED					
ETo Factor	1995	Base	Exist.	New	Comb.	Exist.	New	Comb.			
1.2	85	85	50	30	41	20	5	13			
1.0	10	10	25	30	27	40	5	24			
0.8	5	5	25	40	32	40	80	58			
0.6	1				0		10	5			
0.4					0	·		0			

ſ			An	alysis of 2020	Conditions co	ompared to 1995	5	
Resultant area (acres)				No Action			CALFED	
ETo Factor	1995	Base	Exist.	New	Comb.	Exist.	New	Comb.
1.2	55,250	102,000	32,500	16,500	49,000	13,000	2,750	15,750
1.0	6,500	12,000	16,250	16,500	32,750	26,000	2,750	28,750
0.8	3,250	6,000	16,250	22,000	38,250	26,000	44,000	70,000
0.6	0	0	0	0	0	0	5,500	5,500
0.4	.0	0	0	0	0	0	0	0
sum =	65 000	120,000	65,000	55,000	120,000	65.000	55,000	120,000

Applied Water (acre-feet)

Applied Water (acre-ic	CL)			
ETo Factor	1995	Base	No Action	CALFED
1.2	285,090	526,320	252,840	81,270
1.0	27,950	51,600	140,825	123,625
0.8	11,180	20,640	131,580	240,800
0.6	0	0	0	14,190
0.4			40 F	0
Total water use =	324,220	598,560	525,245	459,885
Incremental			73,315	65,360
Savings			75,515	
	Reduction:	from Base =	12%	11%
Incr. Savings from				
Reduced ET			0	4,730
(<0.8 ETo)				
Savir	gs from ET	Reduction=	0%	7%
Incr. Savings from		•		
Reduced Losses			73,315	60,630
(>0.8 ETo)				
, ,				

Total % Reduction (Base to CALFED) 23%

Total Amount from ET Reduction 3%

Ratio of Depletion Reduction to Applied Water Savings (from Bull. 160-93 p.155)

0.05 (modified to reflect outdoor water use realities)

Real Water Savings =

Reduced ET + (ratio \* reduced losses)

3,666 Base to No Action =

7,762 No Action to CALFED =

Total = 11,427

Remaining Applied Water Reduction = total reduction - real water savings

69,649 Base to No Action =

No Action to CALFED = 57,599

127,248 Total =

### Tulare

Exist. acres = 70,0002020 acres = 130,000ETo (af/ac) = 4.3

			A:	nalysis of 2020	Conditions c	ompared to 19	95	
Distribution of acres (%)			No Action			CALFED		
ETo Factor	1995	Base	Exist.	New	Comb.	Exist.	New	Comb.
1.2	15	15	10	10	10	5	0	3
1.0	60	60	60	30	46	50	10	32
0.8	25	25	30	60	44	45	70	57
0.6	1				0		20	9
0.4			1		0	,		0

			Analysis of 2020 Conditions compared to 1995							
Resultant area (acres)				No Action			CALFED			
ETo Factor	1995	Base	Exist.	New	Comb.	Exist.	New	Comb.		
1.2	10,500	19,500	7,000	6,000	13,000	3,500	0	3,500		
1.0	42,000	78,000	42,000	18,000	60,000	35,000	6,000	41,000		
0.8	17,500	32,500	21,000	36,000	57,000	31,500	42,000	73,500		
0.6	0	0	0	0	0	0	12,000	12,000		
0.4	0	0	0	0	0	0	0	0		
sum =	70,000	130,000	70,000	60,000	130,000	70,000	60,000	130,000		

#### Applied Water (acre-feet)

Tipplied Water (acre-ic				
ETo Factor	1995	Base	No Action	CALFED
1.2	54,180	100,620	67,080	18,060
1.0	180,600	335,400	258,000	176,300
0.8	60,200	111,800	196,080	252,840
0.6	0	0	0	30,960
0.4		es Janes de A	10.0	alar is. O
Total water use =	294,980	547,820	521,160	478,160
Incremental			26,660	43,000
Savings			20,000	45,000
	Reduction	from Base =	5%	8%
Incr. Savings from				
Reduced ET			0	10,320
(<0.8 ETo)		_		
Savir	ngs from ET	Reduction=	0%	24%
Incr. Savings from	_	·		
Reduced Losses			26,660	32,680
(>0.8 ETo)				
,		•		

Total % Reduction (Base to CALFED) 13%

Total Amount from ET Reduction 15%

Ratio of Depletion Reduction to Applied Water Savings

0.3

(from Bull. 160-93 p.155)

Real Water Savings =

Reduced ET + (ratio \* reduced losses)

Base to No Action =

7,998

No Action to CALFED =

20,124

Total =

28,122

Remaining Applied Water Reduction = total reduction - real water savings

Base to No Action =

18,662

No Action to CALFED =

22,876

Total = 41,538

### San Francisco

Exist. acres = 155,0002020 acres = 180,000ETo (af/ac) = 3.3

			Analysis of 2020 Conditions compared to 1995								
Distribution of acres (%)			Ĭ	No Action			CALFED				
ETo Factor	1995	Base	Exist.	New	Comb.	Exist.	New	Comb.			
1.2	15	15	10	10	10	0	0	0			
1.0	60	60	50	30	47	35	20	33			
0.8	25	25	40	60	43	55	55	55			
0.6					0	10	20	11			
0.4					0		5	1			

•			An	alysis of 2020	Conditions c	ompared to 199	)5	
Resultant area (acres)			1	No Action			CALFED	
ETo Factor	1995	Base	Exist.	New	Comb.	Exist.	New	Comb.
1.2	23,250	27,000	15,500	2,500	18,000	0	0	0
1.0	93,000	108,000	77,500	7,500	85,000	54,250	5,000	59,250
0.8	38,750	45,000	62,000	15,000	77,000	85,250	13,750	99,000
0.6	0	0	0	0	0	15,500	5,000	20,500
0.4	0	0	0	0	0	0	1,250	1,250
sum =	155,000	180,000	155,000	25,000	180,000	155,000	25,000	180,000

#### Applied Water (acre-feet)

rippinou mucor (uoro re	, , ,			
ETo Factor	1995	Base	No Action	CALFED
1.2	92,070	106,920	71,280	0
1.0	306,900	356,400	280,500	195,525
0.8	102,300	118,800	203,280	261,360
0.6	0	0	0	40,590
0.4		i izločinos	o O	1,650
Total water use =	501,270	582,120	555,060	499,125
Incremental			27,060	55,935
Savings			27,000	
	Reduction	from Base =	5%	10%
Incr. Savings from		-		
Reduced ET			0	15,180
(<0.8 ETo)				
Savi	ngs from ET	Reduction=	0%	27%
Incr. Savings from	-	. <del>-</del>		
Reduced Losses			27,060	40,755
(>0.8 ETo)				
,		•		

Total % Reduction (Base to CALFED) 14%

Total Amount from ET Reduction 18%

Ratio of Depletion Reduction to Applied Water Savings

0.9 (modified to reflect outdoor water use realities)

(from Bull. 160-93 p.155)

Real Water Savings =

Reduced ET + (ratio \* reduced losses)

Base to No Action =

24,354

No Action to CALFED = 51,860

76,214 Total =

Remaining Applied Water Reduction = total reduction - real water savings

Base to No Action =

2,706

No Action to CALFED =

4,076

Total = 6,782

## **Central Coast**

Exist. acres = 35,0002020 acres = 50,000ETo (af/ac) = 2.8

		Analysis of 2020 Conditions compared to 1995							
Distribution of acres (%)			No Action CALFED						
ETo Factor	1995	Base	Exist.	New	Comb.	Exist.	New	Comb.	
1.2	5	5	3	0	2	0	0	0	
1.0	20	20	15	10	14	5	0	4	
0.8	55	55	40	30	37	25	15	22	
0.6	20	20	42	55	46	60	65	62	
0.4	,		1	5	2	10	20	13	

			Analysis of 2020 Conditions compared to 1995							
Resultant area (acres)		No Action					CALFED			
ETo Factor	1995	Base	Exist.	New	Comb.	Exist.	New	Comb.		
1.2	1,750	2,500	1,050	0	1,050	0	0	0		
1.0	7,000	10,000	5,250	1,500	6,750	1,750	0	1,750		
0.8	19,250	27,500	14,000	4,500	18,500	8,750	2,250	11,000		
0.6	7,000	10,000	14,700	8,250	22,950	21,000	9,750	30,750		
0.4	0	0	0	750	750	3,500	3,000	6,500		
sum =	35,000	50,000	35,000	15,000	50,000	35,000	15,000	50,000		

Applied Water (acre-feet)

Applied water (acre-lee	•			
ETo Factor	1995	Base	No Action	CALFED
1.2	5,880 🖟	8,400	3,528	40
1.0	19,600	28,000	18,900	4,900
0.8	43,120	61,600	41,440	24,640
0.6	11,760	16,800	38,556	51,660
0.4			840	7,280
Total water use =	80,360	114,800	103,264	88,480
Incremental			11,536	14,784
Savings		<b></b>	11,550	
	Reduction 1	from Base =	10%	13%
Incr. Savings from		_		
Reduced ET			8,092	10,808
(<0.8 ETo)				
Savin	gs from ET	Reduction=	70%	73%
Incr. Savings from		•		
Reduced Losses			3,444	3,976
(>0.8 ETo)			•	
		-		

Total % Reduction (Base to CALFED) 23%

Total Amount from ET Reduction 72%

Ratio of Depletion Reduction to Applied Water Savings (from Bull. 160-93 p.155)

1.0

Real Water Savings =

Reduced ET + (ratio \* reduced losses)

Base to No Action =

11,536

No Action to CALFED =

14,784

Total = 26,320

Remaining Applied Water Reduction = total reduction - real water savings

Base to No Action =

0

No Action to CALFED =

Total =

## **South Coast**

Exist. acres = 480,0002020 acres = 650,000

ETo (af/ac) = 4.0

		Analysis of 2020 Conditions compared to 1995								
Distribution of acres (%)			No Action				CALFED			
ETo Factor	1995	Base	Exist.	New	Comb.	Exist.	New	Comb.		
1.2	10	10	5	0	4	0	0	0		
1.0	40	40	30	20	27	15	5	12		
0.8	40	40	50	60	53	60	55	59		
0.6	10	10	13	15	14	20	30	23		
0.4			2	5	3	5	10	6		

			Analysis of 2020 Conditions compared to 1995							
Resultant area (acres			No Action				CALFED			
ETo Factor	1995	Base	Exist.	New	Comb.	Exist.	New	Comb.		
1.2	48,000	65,000	24,000	0	24,000	0	0	0		
1.0	192,000	260,000	144,000	34,000	178,000	72,000	8,500	80,500		
0.8	192,000	260,000	240,000	102,000	342,000	288,000	93,500	381,500		
0.6	48,000	65,000	62,400	25,500	87,900	96,000	51,000	147,000		
0.4	.0.	0	9,600	8,500	18,100	24,000	17,000	41,000		
sum:	= 480,000	650,000	480,000	170,00	0 650,000	480,000	170,000	650,000		

Applied Water (acre-feet)

Applied water (acre-leet)									
ETo Factor	1995	Base	No Action	CALFED					
1.2	230,400	312,000	115,200	0					
1.0	768,000	1,040,000	712,000	322,000					
0.8	614,400	832,000	1,094,400	1,220,800					
0.6	115,200	156,000	210,960	352,800					
0.4	in ja	is the field	28,960	65,600					
Total water use =	1,728,000	2,340,000	2,161,520	1,961,200					
Incremental		<u>.</u>	178,480	200,320					
Savings			170,700	200,520					
	Reduction	from Base =	8%	9%					
Incr. Savings from		-							
Reduced ET			47,280	83,920					
(<0.8 ETo)									
Savi	ngs from ET	Reduction=	26%	42%					
Incr. Savings from		•							
Reduced Losses			131,200	116,400					
(>0.8 ETo)									
Ratio of Depletion Re	0.8								

Total % Reduction (Base to CALFED) 16%

Total Amount from ET Reduction 35%

Ratio of Depletion Reduction to Applied Water Savings

(from Bull. 160-93 p.155)

Real Water Savings =

Reduced ET + (ratio \* reduced losses)

Base to No Action =

152,240

No Action to CALFED =

177,040

329,280 Total =

Remaining Applied Water Reduction = total reduction - real water savings

26,240 Base to No Action =

No Action to CALFED = 23,280

> 49,520 Total =

### Colorado

Exist. acres = 35,0002020 acres = 75,000ETo (af/ac) = 6.0

		Analysis of 2020 Conditions compared to 1995							
Distribution of acres (%)			No Action CALF						
ETo Factor	1995	Base	Exist.	New	Comb.	Exist.	New	Comb.	
1.2	70	70	60	50	55	50	40	45	
1.0	30	30	35	. 40	38	30	30	30	
0.8	1		5	10	8	15	25	20	
0.6					0	5	5	5	
0.4					0			0	

		Analysis of 2020 Conditions compared to 1995							
Resultant area (acres)			No Action			CALFED			
ETo Factor	1995	Base	Exist.	New	Comb.	Exist.	New	Comb.	
1.2	24,500	52,500	21,000	20,000	41,000	17,500	16,000	33,500	
1.0	10,500	22,500	12,250	16,000	28,250	10,500	12,000	22,500	
0.8	0	0	1,750	4,000	5,750	5,250	10,000	15,250	
0.6	0	0	0	0	0	1,750	2,000	3,750	
0.4	0	0	0	.0	0	0	0	0	
sum =	35,000	75,000	35,000	40,000	75,000	35,000	40,000	75,000	

#### Applied Water (acre-feet)

1995	Base	No Action	CALFED
176,400	378,000	295,200	241,200
63,000	135,000	169,500	135,000
0	in That Oak had a s	27,600	73,200
0	0	0	13,500
	artis en	0.00	Last O Bally
239,400	513,000	492,300	462,900
		20,700	29,400
Reduction:	from Base =	4%	6%
	<del></del>	0	4,500
ngs from ET	Reduction=	0%	15%
		20,700	24,900
	1995 176,400 63,000 0 0 239,400	1995 Base 176,400 378,000 63,000 135,000 0 0	1995         Base         No Action           176,400         378,000         295,200           63,000         135,000         169,500           0         0         27,600           0         0         0           239,400         513,000         492,300           Reduction from Base = 4%            0           ngs from ET Reduction = 0%

Total % Reduction (Base to CALFED) 10%

Total Amount from ET Reduction 9%

Ratio of Depletion Reduction to Applied Water Savings (from Bull. 160-94a p.155).

Real Water Savings =

Reduced ET + (ratio \* reduced losses)

Base to No Action = 18,630

No Action to CALFED = 26,910

Total =

Remaining Applied Water Reduction = total reduction - real water savings

2,070 Base to No Action =

2,490 No Action to CALFED =

Total = 4,560 0.9